

Silk Screen & Etched

Screen, etch, plate, engrave + fill

SS304 / 316

Plate 0.8–3.0 mm typical

Brass on request

Engraved and filled

Shenzhen shop

Packed for export

BUILD OPTIONS

Flat plates that have to survive outdoors for years.

MATERIALS	SS304/316 plates, brass on request
THICKNESS	Plate 0.8–3.0 mm typical
FINISH	Brushed, mirror, painted fill, plate
LIGHT	Usually unlit
INSTALL	Hidden studs, standoffs, or adhesive + pins
PACK	Film + rigid board

Silkscreen

Ink on brushed or painted metal.

Etched SS

Recessed copy, optional colour fill.


Electroplated etched

Etch plus plated tone.

Engraved + filled

Mechanical engrave when etch is not specified.

PROCESS REFERENCE



RFQ

What to send

- Vector artwork with outlined fonts
- Plate size, material and thickness
- Process: screen / etch / engrave + fill
- Fixing: hidden studs, standoffs, pins

Screen ink and etch depth are chosen for the exposure — say if the plate faces salt air or full sun.

On the quote

- Lead time after artwork lock
- Colour fill and plate finish
- Incoterm and crate type

Outdoor etch and fill specs are quoted per job. See the Export build sheet.

Talk to the shop

jeff@acpsigns.com

+86 188 9985 9285

www.acpsigns.com/contact/

Building 12, Ailian Industrial Zone, Zhugushi Road, Wulian,
Longgang District, Shenzhen, Guangdong, China